

PRE-DESIGNED LAYOUTS

STRAIGHT TOP

POSTFORM EDGE PROFILES

- CAPRICE TEMPO
- NOVA FUTURA
- VALENCIA BARCELONA
- MARABELLA ORA
- AFTON

- QUOTE ORDER INSTALLED FURNISH ONLY

Dealer Name: _____ Date: _____

Location: _____ Job Name: _____

Laminate Color: _____ PO #: _____

APPLIED EDGE PROFILES

- SELF
- BEVEL
- CRESENT (WILSONART)
- IDEAL (FORMICA) _____
- WOOD _____
- GEM LOC _____

BACKSPLASH

- COVERED
- LOOSE
- NONE

MITER

- UNASSEMBLED
- ASSEMBLED
(SHORTER OF TWO LEGS MUST BE <60")
- OUT OF SQUARE
(PROVIDE MEASUREMENTS USING 3/4/5 RULE)

CORNERS

- CLIPPED (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING
- RADIUS (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING

SOLID BUILD UP (BARS ONLY)

PLEASE INDICATE LOCATION AND WIDTH


DEPTH

SEE PROFILES FOR STANDARD DEPTHS
NON-STANDARD (INDICATE ON DRAWING)

NOTES: _____


EC= END CAP MC= MATCHING CAP (CUSTOM ONLY) ES = END SPLASH

STRAIGHT TOP



OPTION: SINK LOCATION

Cut out size: _____



PRE-DESIGNED LAYOUTS

L-SHAPE TOP

POSTFORM EDGE PROFILES

- CAPRICE TEMPO
- NOVA FUTURA
- VALENCIA BARCELONA
- MARABELLA ORA
- AFTON

QUOTE ORDER INSTALLED FURNISH ONLY

Dealer Name: _____ Date: _____

Location: _____ Job Name: _____

Laminate Color: _____ PO #: _____

APPLIED EDGE PROFILES

- SELF
- BEVEL
- CRESENT (WILSONART)
- IDEAL (FORMICA) _____
- WOOD _____
- GEM LOC _____

BACKSPLASH

- COVERED
- LOOSE
- NONE

MITER

- UNASSEMBLED
- ASSEMBLED
(SHORTER OF TWO LEGS MUST BE <60")
- OUT OF SQUARE
(PROVIDE MEASUREMENTS USING 3/4/5 RULE)

CORNERS

- CLIPPED (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING
- RADIUS (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING

SOLID BUILD UP (BARS ONLY)

PLEASE INDICATE LOCATION AND WIDTH


DEPTH

SEE PROFILES FOR STANDARD DEPTHS
NON-STANDARD (INDICATE ON DRAWING)

NOTES: _____

EC= END CAP MC= MATCHING CAP (CUSTOM ONLY) ES = END SPLASH


L-SHAPE TOP



OPTION: SINK LOCATION

SECTION: _____

CUT OUT SIZE: _____



PRE-DESIGNED LAYOUTS

L-SHAPE TOP

POSTFORM EDGE PROFILES

- CAPRICE TEMPO
- NOVA FUTURA
- VALENCIA BARCELONA
- MARABELLA ORA
- AFTON

QUOTE ORDER INSTALLED FURNISH ONLY

Dealer Name: _____ Date: _____

Location: _____ Job Name: _____

Laminate Color: _____ PO #: _____

APPLIED EDGE PROFILES

- SELF
- BEVEL
- CRESENT (WILSONART)
- IDEAL (FORMICA) _____
- WOOD _____
- GEM LOC _____

BACKSPLASH

- COVERED
- LOOSE
- NONE

MITER

- UNASSEMBLED
- ASSEMBLED
(SHORTER OF TWO LEGS MUST BE <60")
- OUT OF SQUARE
(PROVIDE MEASUREMENTS USING 3/4/5 RULE)

CORNERS

- CLIPPED (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING
- RADIUS (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING

SOLID BUILD UP (BARS ONLY)

PLEASE INDICATE LOCATION AND WIDTH


DEPTH

SEE PROFILES FOR STANDARD DEPTHS
NON-STANDARD (INDICATE ON DRAWING)

NOTES: _____

EC= END CAP MC= MATCHING CAP (CUSTOM ONLY) ES = END SPLASH


L-SHAPE TOP



OPTION: SINK LOCATION

SECTION: _____

CUT OUT SIZE: _____



PRE-DESIGNED LAYOUTS

L-SHAPE TOP WITH BAR

POSTFORM EDGE PROFILES

- CAPRICE TEMPO
- NOVA FUTURA
- VALENCIA BARCELONA
- MARABELLA ORA
- AFTON

QUOTE ORDER INSTALLED FURNISH ONLY

Dealer Name: _____ Date: _____

Location: _____ Job Name: _____

Laminate Color: _____ PO #: _____

APPLIED EDGE PROFILES

- SELF
- BEVEL
- CRESENT (WILSONART)
- IDEAL (FORMICA) _____
- WOOD _____
- GEM LOC _____

BACKSPLASH

- COVERED
- LOOSE
- NONE

MITER

- UNASSEMBLED
- ASSEMBLED
(SHORTER OF TWO LEGS MUST BE <60")
- OUT OF SQUARE
(PROVIDE MEASUREMENTS USING 3/4/5 RULE)

CORNERS

- CLIPPED (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING
- RADIUS (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING

SOLID BUILD UP (BARS ONLY)


PLEASE INDICATE LOCATION AND WIDTH

DEPTH

SEE PROFILES FOR STANDARD DEPTHS
NON-STANDARD (INDICATE ON DRAWING)

NOTES: _____


EC= END CAP MC= MATCHING CAP (CUSTOM ONLY) ES = END SPLASH



OPTION: SINK LOCATION

SECTION: _____

CUT OUT SIZE: _____



PRE-DESIGNED LAYOUTS

L-SHAPE TOP WITH BAR

POSTFORM EDGE PROFILES

- CAPRICE TEMPO
- NOVA FUTURA
- VALENCIA BARCELONA
- MARABELLA ORA
- AFTON

QUOTE ORDER INSTALLED FURNISH ONLY

Dealer Name: _____ Date: _____

Location: _____ Job Name: _____

Laminate Color: _____ PO #: _____

APPLIED EDGE PROFILES

- SELF
- BEVEL
- CRESENT (WILSONART)
- IDEAL (FORMICA) _____
- WOOD _____
- GEM LOC _____

BACKSPLASH

- COVERED
- LOOSE
- NONE

MITER

- UNASSEMBLED
- ASSEMBLED
(SHORTER OF TWO LEGS MUST BE <60")
- OUT OF SQUARE
(PROVIDE MEASUREMENTS USING 3/4/5 RULE)

CORNERS

- CLIPPED (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING
- RADIUS (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING

SOLID BUILD UP (BARS ONLY)

PLEASE INDICATE LOCATION AND WIDTH


DEPTH

SEE PROFILES FOR STANDARD DEPTHS
NON-STANDARD (INDICATE ON DRAWING)

NOTES: _____

EC= END CAP MC= MATCHING CAP (CUSTOM ONLY) ES = END SPLASH


L-SHAPE TOP WITH BAR



OPTION: SINK LOCATION

SECTION: _____

CUT OUT SIZE: _____



PRE-DESIGNED LAYOUTS

U-SHAPE TOP

POSTFORM EDGE PROFILES

- CAPRICE TEMPO
- NOVA FUTURA
- VALENCIA BARCELONA
- MARABELLA ORA
- AFTON

QUOTE ORDER INSTALLED FURNISH ONLY

Dealer Name: _____ Date: _____

Location: _____ Job Name: _____

Laminate Color: _____ PO #: _____

APPLIED EDGE PROFILES

- SELF
- BEVEL
- CRESENT (WILSONART)
- IDEAL (FORMICA) _____
- WOOD _____
- GEM LOC _____

BACKSPLASH

- COVERED
- LOOSE
- NONE

MITER

- UNASSEMBLED
- ASSEMBLED
(SHORTER OF TWO LEGS MUST BE <60")
- OUT OF SQUARE
(PROVIDE MEASUREMENTS USING 3/4/5 RULE)

CORNERS

- CLIPPED (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING
- RADIUS (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING

SOLID BUILD UP (BARS ONLY)

PLEASE INDICATE LOCATION AND WIDTH


DEPTH

SEE PROFILES FOR STANDARD DEPTHS
NON-STANDARD (INDICATE ON DRAWING)

NOTES: _____

EC= END CAP MC= MATCHING CAP (CUSTOM ONLY) ES = END SPLASH


U-SHAPE TOP



OPTION: SINK LOCATION

SECTION: _____

CUT OUT SIZE: _____



PRE-DESIGNED LAYOUTS

U-SHAPE TOP WITH BAR

POSTFORM EDGE PROFILES

- CAPRICE TEMPO
- NOVA FUTURA
- VALENCIA BARCELONA
- MARABELLA ORA
- AFTON

QUOTE ORDER INSTALLED FURNISH ONLY

Dealer Name: _____ Date: _____

Location: _____ Job Name: _____

Laminate Color: _____ PO #: _____

APPLIED EDGE PROFILES

- SELF
- BEVEL
- CRESENT (WILSONART)
- IDEAL (FORMICA) _____
- WOOD _____
- GEM LOC _____

BACKSPLASH

- COVERED
- LOOSE
- NONE

MITER

- UNASSEMBLED
- ASSEMBLED
(SHORTER OF TWO LEGS MUST BE <60")
- OUT OF SQUARE
(PROVIDE MEASUREMENTS USING 3/4/5 RULE)

CORNERS

- CLIPPED (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING
- RADIUS (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING

SOLID BUILD UP (BARS ONLY)

PLEASE INDICATE LOCATION AND WIDTH


DEPTH

SEE PROFILES FOR STANDARD DEPTHS
NON-STANDARD (INDICATE ON DRAWING)

NOTES: _____

EC= END CAP MC= MATCHING CAP (CUSTOM ONLY) ES = END SPLASH


U-SHAPE TOP WITH BAR



OPTION: SINK LOCATION

SECTION: _____

CUT OUT SIZE: _____



PRE-DESIGNED LAYOUTS

U-SHAPE TOP WITH BAR

POSTFORM EDGE PROFILES

- CAPRICE TEMPO
- NOVA FUTURA
- VALENCIA BARCELONA
- MARABELLA ORA
- AFTON

QUOTE ORDER INSTALLED FURNISH ONLY

Dealer Name: _____ Date: _____

Location: _____ Job Name: _____

Laminate Color: _____ PO #: _____

APPLIED EDGE PROFILES

- SELF
- BEVEL
- CRESENT (WILSONART)
- IDEAL (FORMICA) _____
- WOOD _____
- GEM LOC _____

BACKSPLASH

- COVERED
- LOOSE
- NONE

MITER

- UNASSEMBLED
- ASSEMBLED
(SHORTER OF TWO LEGS MUST BE <60")
- OUT OF SQUARE
(PROVIDE MEASUREMENTS USING 3/4/5 RULE)

CORNERS

- CLIPPED (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING
- RADIUS (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING

SOLID BUILD UP (BARS ONLY)

PLEASE INDICATE LOCATION AND WIDTH


DEPTH

SEE PROFILES FOR STANDARD DEPTHS
NON-STANDARD (INDICATE ON DRAWING)

NOTES: _____

EC= END CAP MC= MATCHING CAP (CUSTOM ONLY) ES = END SPLASH


U-SHAPE TOP WITH BAR



OPTION: SINK LOCATION

SECTION: _____

CUT OUT SIZE: _____



PRE-DESIGNED LAYOUTS

ISLAND TOP

POSTFORM EDGE PROFILES

- CAPRICE TEMPO
- NOVA FUTURA
- VALENCIA BARCELONA
- MARABELLA ORA
- AFTON

- QUOTE ORDER INSTALLED FURNISH ONLY

Dealer Name: _____ Date: _____

Location: _____ Job Name: _____

Laminate Color: _____ PO #: _____

APPLIED EDGE PROFILES

- SELF
- BEVEL
- CRESENT (WILSONART)
- IDEAL (FORMICA) _____
- WOOD _____
- GEM LOC _____

BACKSPLASH

- COVERED
- LOOSE
- NONE

MITER

- UNASSEMBLED
- ASSEMBLED
(SHORTER OF TWO LEGS MUST BE <60")
- OUT OF SQUARE
(PROVIDE MEASUREMENTS USING 3/4/5 RULE)

CORNERS

- CLIPPED (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING
- RADIUS (MIN 1 1/2") PLEASE INDICATE SIZE & LOCATION(S) ON DRAWING

SOLID BUILD UP (BARS ONLY)

PLEASE INDICATE LOCATION AND WIDTH


DEPTH

SEE PROFILES FOR STANDARD DEPTHS
NON-STANDARD (INDICATE ON DRAWING)

NOTES: _____

EC= END CAP MC= MATCHING CAP (CUSTOM ONLY) ES = END SPLASH

ISLAND TOP



* IF USING CAPRICE EDGE, PLEASE INDICATE WHAT EDGE IS CAPRICE AND WHAT EDGE IS TEMPO

OPTION: SINK LOCATION

Cut out size: _____

